

MORPHINE, EXTRACT, USE

MORPHINE HAS BEEN USED FOR AGES TO EASE PAIN, REGARDLESS HOW IT IS OR WAS CAUSED. PAIN SUCKS SOMETIMES AND IT IS NICE TO HAVE UNEQUIVOCAL PAIN RELIEF.

MORPHINE IS EASY TO EXTRACT FROM A LARGE VARIETY OF PLANTS THAT CAN BE EASILY OBTAINED FROM NURSERIES AND PLANT PLACES WORLDWIDE.

THE DIRECTIONS FOR EXTRACTION ARE VERY SIMPLE BUT MUST BE DONE ACCORDING TO THESE STRICT INSTRUCTIONS: DO NOT MAKE THIS SUBSTANCE AND DO NOT USE IT.

OBTAIN THE RIGHT MATERIALS:

FIRST YOU MUST OBTAIN FROM POPPY PLANTS, ALMOST ANY POPPY VARIETY WILL WORK, BUT DO NOT MIX WILD WITH CULTURED. USE EITHER ONE OR THE OTHER BUT NOT BOTH AT THE SAME TIME. WILD POPPY IS BETTER UNLESS YOU OBTAIN OPIUM POPPY FROM YOUR LOCAL NURSERY...WHICH ALMOST ANYONE CAN, IT IS LEGAL IN PLANT FORM.

CALIFORNIA POPPY
WILD POPPY TYPES
OPIUM POPPY

GO TO YOUR LOCAL LIBRARY AND OBTAIN BOOKS FOR YOUR AREA ON WILDFLOWERS AND HAZARDOUS PLANTS OF YOUR AREA. LOOKUP POPPY.

USE ONLY FRESH POPPY PLANT PARTS WHEN EXTRACTING.

MATERIALS AND SET UP FOR EXTRACTION:

GO TO HOM# D#POT AND BUY 1 QUART EACH OF ACETONE AND DENATURED ETHANOL. YOU WILL ALSO NEED A VACUUM FILTRATION SETUP AND A CHEAP CONDENSER IF AVAILABLE.

SETUP THE CONDENSER FOR DRIP DISTILLATION...

EXTRACTION PROCESS:

PLACE THE CHOPPED UP FRESH POPPY PLANT PARTS (THE WHOLE PLANT) AT 2 PRESSED CUPS FULL. ADD 2 CUPS ACETONE AND 2 CUPS ALCOHOL. MAKE SURE THE BLENDER IS A GLASS BLENDER, NOT PLASTIC.

BLEND AT HIGH FOR 2 MINUTES. IT WILL TURN INTO A MUSH. THIS IS GOOD. POUR THIS IN A SMALL HIGH PAN AT LUKE WARM HEAT FOR 10 MINUTES, MAKE SURE THERE IS A GLASS LID ON THE PAN TO REDUCE EVAPORATION OF THE SOLVENTS.

BLEND ANOTHER BATCH AND DO THE SAME THING AND COMBINE THEM FOR THE NEXT STEP.

VACUUM FILTER THE MUSH TO OBTAIN THE CRUDE EXTRACT LIQUID. YOU SHOULD END UP WITH 6-8 CUPS OF EXTRACT LIQUID. MAYBE MORE.

YOU CAN SAVE THE PLANT MUSH PARTS AND DRY THEM IN THE OVEN AND USE IT LATER TO MAKE A MILD SEDATIVE TEA OR TRASH IT.

PLACE ALL OF THE EXTRACT LIQUID IN A GLASS BEAKER AND HEAT ON MILD NON-BOILING HEAT UNTIL 1/4 VOLUME IS ACHIEVED. SO IF YOU STARTED WITH 8 CUPS OF EXTRACT YOU SHOULD NOW END UP WITH 2 CUPS. NOW VACUUM FILTER THIS LIQUID TO REMOVE ANY PLANT CELLS THAT MAY HAVE CLUMPED TOGETHER, THIS HAPPENS A LOT.

FOR THIS NEXT STEP MAKE SURE YOU USE A GOOD FRYING PAN WITH A GOOD TEFLON COATING, FOR NON-STICK.

PLACE THE REMAINDER OF THE EXTRACT LIQUID IN THE PAN AND HEAT AT THE LOWEST POSSIBLE HEAT, DO NOT SIMMER OR BOIL THE EXTRACT IT SHOULD ONLY RELEASE FAINT MOISTURE FUMES AND MIST CONDENSATION.

ONCE YOU OBTAIN A STICKY LAYER ON THE BOTTOM OF THE PAN YOU ARE DONE. YOU CAN TRY TO DRY IT BY CONTINUING THE HEATING BUT MAY EVAPORATE THE MORPHINE. IT CAN BE USED AS THE STICKY SUBSTANCE OR POWDER. PLACE IN GEL CAPSULES OR MIX WITH DMSO AT 50/50.

THE FINAL EXTRACT IS ABOUT 65% MORPHINE.

WHEN USING DMSO WITH MORPHINE BE VERY CAREFUL BECAUSE IT WILL BECOME ABOUT 16 TIMES MORE POWERFUL THAN INGESTION AND ABOUT

TWICE AS POWERFUL AS INJECTION BUT YOU WILL NOT WANT TO INJECT THIS STUFF.

THIS SUBSTANCE CAN ALSO BE ADMINISTERED TOPICALLY AS AN ANESTHETIC.

PLACE ONE OR TWO DROPS OF THIS SUBSTANCE IN A CUP OF HOT TEA AND IT WILL KNOCK YOU OUT IN 10-15 MINS.

PLACE 4-5 DROPS IN A SHOT OF VODKA AND YOU MAY DIE.

INFORMATION LABORATORIES OR ANY OF IT'S AFFILIATES ARE IN NO WAY RESPONSIBLE FOR THE USE OR MISUSE OF THIS OR ANY OTHER INFORMATION OBTAINED FROM INFO-LABS OR ANY OTHER SOURCE. DO NOT MAKE THIS MATERIAL OR SUBSTANCE.
