

# The Black Book



Don't let the government  
do this to you.

## FACTS ABOUT PAY PHONES

Most pay phones weigh about 50 pounds with a empty coin hopper. Most of this is armour plating to stop vandalism, robbery, fraud, and theft. Forget picking the lock, it has 390,625 possible positions.(5 to the eighth power- 8 tumblers with 5 possible positions) It is pick resistant! The coin plate is secured on all four sides by hardened steel bolts. They pass through two slots each, and are then interlocked by the main lock. On some models, all that is holding the front panel on is three or four bolts. These bolts could be removed just by putting acid on them. (sulfuric)

The top panel is held on by two nuts, these could easily removed by a pliers.

The back panel usually has an alarm wired to it. If it has an alarm the alarm wires will be in the TOP panel. They should be inclosed in a round box with four wires leading out. You must cut the FIRST AND SECOND wires from the left. Put some acid on the bolts and it should come right off.

## LINE MAN'S HAND SETS

Did you ever wonder what those line men were doing up on those poles? They're calling their friends and charging it to YOUR own phone bill. Also they are monitoring YOUR own phone calls. Don't you wish you could own one? They cost about \$150 from telecommunication stores but you could make your own CHEAP!!!

First, obtain an old phone hand set. Look around they're easy to find. Cut off the modular plug that would fit into the holder thing. Strip the red and green wires down to the wire, if your lucky, it will be a solid wire, if your not, you will have wire that resembiles thread, just be more careful-it will still work.

Carefully solder or wrap a short piece of wire on to each of these, this is to make it easier to attach the alligator clips.

Obtain a pair of good, heavy alligator clips. Make sure they have teeth on them to bite through wire insulation. Hook the wire up to them and tighten down the screw for a good connection.


Next, take the back cover off the phone to expose the insides. Find the microphone and the two wires leading from it.

Then, get a SPST switch from Radio Shack or where ever and solder two pieces of wire to it. Find one of the wires leading off the microphone, cut it and strip the insulation off both sides. Now take the wires coming from the switch

and hook them up to the wires from the microphone. Solder them and wrap them in electrical tape. Drill a hole in the back of the phone cover, mount the switch, put the cover on, and your done.

The switch controls the microphone. You can turn it on and off so you can monitor conversations without blowing your cover our hook the alligator clips up to a terminal box (more about these in future issues) and make long distance phone calls from some one elses phone!

This description should help a little, they are easy to make and understand so they should offer little trouble.



Call- 841-8061, When the Machine answers Press <sup>(star)</sup> \* and then 1992  
 Next Hit P for play - Voice Mail Boxes Rule!!

**POOR MAN'S RED BOX**

Have some one go to a local BELL OWNED pay phone, Then from your house call the pay phone and your friend will answer. With you at your house, you will have a small tape recorder with you with a pick-up coil attached that is available at Radio Shack for \$3.29. Hit the record button and be very quiet. Have your friend put in about \$3.00 worth of quarters. The person at the pay phone won't be able to hear any thing, but you will hear the tones as the quarters are deposited and since you recorded them all you have to do is call a long distance number- insert a nickel ( Ma Bell knows if money is being deposited and if you punch out \$3.00 worth of quarters and the lever inside the phone isn't tripped, they might get suspicios)-- no "u" After that it is safe to play the tones into the receiver, the ACTS will even thank you!

**MORE ANAC NUMBERS!**

(Automatic Number AnnounCement)


<u>Area Code</u>	<u>ANAC Number</u>
604	116, 1211, 211
612	511
615	830
617	220-2622
716	511
815	290
906	200-222-2222
919	711
212	958
313	200-222-2222
401	222-2222
415	211-2111, 640, 760-2878, 760-2222
509	560
517	200-222-2222
602	593-0809, 593-6017, 593-7451
616	200-222-2222
714	211-2121
718	958
812	410-555-1212
914	1-990-1111, 99, 990, 990-1111

This is what the  
Key to room 133 B  
in Southwest High School  
looks like.

End View



Side View




## OPENING LOCKED DOORS

This has nothing to do with picking locks, but will enable you to gain entry and open most doors that do not have a dead bolt type latch by using a common bumper jack and its floor stand.

Place the floor stand flush against the door jam on the side with the hinges. Now place the shaft of the bumper jack into the floor stand. Stretch the jacking mechanism out to the opposite side door jam making sure the shaft is resting on the door knob. Now start jacking and stretch the door jams apart. The theory is that the locking bolt will now be separated from the jam of the door. Allowing the door to be opened or allowing enough room between the door and the door jam to manipulate a screwdriver through to pull the locking bolt back into its retaining plate or the body of the lock.

Just think, by using a bumper jack the possibilities are endless. If a common bumper jack can lift a three thousand pound car, just think what it will do to garage doors, door knobs windows, etc. Although this creates damaging results, I would only recommend this technique in an emergency situation.



Remember-

If it says  
"Welcome"  
its asking  
you to break  
in.

## CHEMICAL FIRE BOTTLE

### Materials Required

- Sulfuric acid
- Gasoline
- Potassium Chlorate
- Sugar
- Glass bottle with stopper (roughly 1 quart size)
- small bottle or jar with lid
- rag or paper towels
- string or rubber bands

The sulfuric acid must be concentrated, if battery acid is used, boil it until dense white fumes are given off. Potassium chlorate and concentrated sulfuric acid are available at Galaxy Science and Hobby in the Northland Mall in Appleton. ( phone- 730-9220) They will give you a long lecture on how dangerous this kind of stuff is, just ignore them because this is for informational purposes and your not really going to do it.

- 1) Pour gasoline into the large bottle until it is approximately 2/3 full.
- 2) Add sulfuric acid to the gasoline slowly until the bottle is filled to within 1" to 2" from the top. Place stopper on the bottle.
- 3) Wash the outside of the bottle thoroughly with clear water. ( To prevent accidental ignition )
- 4) Wrap a clean cloth or paper towels around the bottle. Tie with a string or rubber band.
- 5) Dissolve  $\frac{1}{2}$  cup of potassium chlorate and  $\frac{1}{2}$  cup of sugar in one cup of boiling water.
- 6) Allow the solution to cool, pour into the small bottle and cap tightly. The cooled solution should be approx. 2/3 crystals and 1/3 liquid. If there is more liquid than this, pour off excess before using.
- 7) Store bottles separately!
- 8) To use, shake the small bottle to mix contents and pour onto the cloth or paper towels around the large bottle.
- 9) Bottle can be used wet or after solution has dried, it is very spark sensitive. Throw the bottle at hard surface when the bottle breaks solution will ignite, then run.

**TERMINAL BOXES**

There are two types of underground terminal boxes, old and new. The old ones are semi-circular and are opened by removing a screw on the front top of the can. Now grasp the top of the can and pull up. These old models do not have terminal blocks and are full of loose wires. The little white things are connectors, and can be tapped through the hole in the top. A VOM probe that has been filed flat works well. The new ones are rectangular and are made to discourage nosey people. You must have a ratchet wrench (7/16) to be able to remove the screw, which is located on the lower right hand side. There is a lip on the bottom of the can. After removing the screw, pull straight up. The front of the can will move up 2", now pull out, and the cover comes off. The terminal block inside is ready to be tapped.

**PHUN PHONE NUMBERS**

Bank of Louisiana	(504) 522-5633	password: INFIDEL
Univ. of Virginia	(703) 328-8086	acct: HELLO PHYSICS.HOOPER
		password: R2D2a
Ma Bell	(313) 651-9743	
Phone Company test line	(619) 748-0002	
Tracing Test	(213) 935-1111	
White House FAX	(202) 456-2883	
McDonalds computer	(305) 764-4595	
	(312) 938-0600	
AT&T Information	1-800-882-1061	
VISA credit check	1-800-226-1111	
ethiopian Cuisine	(213) 394-5198	
Sears credit check	(404) 885-3460	
Phone testing lines	(618) 748-0002	may have been changed
Insert 25¢	(512) 472-9941	
cocaine hotline	1-800-cocaine	
Lost people thing	1-800-I AM LOST	

Hope You liked this issue from the editors.

